The listing of claims with replace in prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently Amended) A print product comprising a substrate, a layer of an offset printing ink applied imagewise, a primer layer, and a top layer of a UV-curable overprint varnish, wherein the primer layer comprises platelet-shaped particles which particles are aligned.
- 2. (Previously Presented) A print product according to claim 1, wherein the particles are colorless or are non-hiding after drying.
- 3. (Previously Presented) A print product according to claim 1, wherein the length or width of the particles is 1 to 1000 μ m and the thickness is 0.05 to 10 μ m.
- 4. (Previously Presented) A print product according to claim 1, wherein the particles comprise kaolin, natural or synthetic mica, talc, titanium dioxide, aluminum oxide, glass or wax.
- 5. (Previously Presented) A print product according to claim 1, wherein the platelet-shaped particles are effect pigments.
- 6. (Previously Presented) A print product according to claim 5, wherein the effect pigments are pearlescent pigments based on a silicate material or are Fe₂O₃ platelets or Al₂O₃ platelets with one or more coatings of one or more metal oxides.
- 7. (Previously Presented) A print product according to claim 5, wherein the effect pigments are pearlescent pigments based on natural or synthetic mica, talc, sericite, or kaolin, SiO₂ platelets, glass platelets, Fe₂O₃ platelets or Al₂O₃ platelets with one or more coatings of rare-earth metal sulfides, or with one or more colored or colorless metal oxides selected from the group consisting of titanium dioxide, titanium suboxide, titanium oxynitride, pseudobrookite, Fe₂O₃, Fe₃O₄, SnO₂, Cr₂O₃, ZnO, CuO, and NiO, and a mixture thereof.

2 Attny. Doc. No.: Merck-2733

- 8. (Previously Presented) A print product according to claim 1, wherein the varnish layer comprises platelet-shaped particles.
- 9. (Previously Presented) A print product according to claim 1, wherein the primer layer comprises pearlescent pigments based on mica, and the varnish layer comprises particles which are colorless or non-hiding after drying.
- 10. (Previously Presented) A print product according to claim 1, wherein the offset ink, the primer layer and the varnish layer comprises effect pigments.
- 11. (Previously Presented) A print product according to claim 1, wherein the primer layer is chemically curable and comprises at least one crosslinking agent.
- 12. (Previously Presented) A print product according to claim 1, wherein the primer layer is a water based primer layer.
- 13. (Previously Presented) A print product according to claim 1, wherein the particles comprise mica.
- 14. (Previously Presented) A print product according to claim 1, wherein the varnish layer comprises platelet-shaped particles that are larger than the particles in the primer layer.
- 15. (Previously Presented) A process for preparing a print product that is according to claim 1, comprising printing the substrate in-line by offset printing, then coating the support with the primer and then with the varnish.
- 16. (Previously Presented) A process according to claim 15, wherein the primer layer is a water-based primer layer.
- 17. (Previously Presented) A process according to claim 15, wherein the primer comprises platelet-shaped pigments or effect pigments which are transparent or non-

3

Attny. Doc. No.: Merck-2733

hiding after drying.

- 18. (Previously Presented) A process according to claim 15, wherein the offset printing ink, the primer and/or the UV varnish comprises effect pigments.
- 19. (Previously Presented) A food or cosmetic product packaging comprising a print product according to claim 1.
- 20. (Previously Presented) A folding box comprising a print product according to claim 1.
- 21. (New) A print product comprising a substrate, a layer of an offset printing ink applied imagewise, a primer layer, and a top layer of a UV-curable overprint varnish, wherein the primer layer comprises platelet-shaped particles which particles are aligned in the primer layer applied wet-on-wet by an engraved roll.